



LiveIn²TM

THE SIMU CONNECTED SOLUTION

LIVEIN2, THIS IS THE SIMPLEST REMOTE CONTROL THERE IS - THE ONE THAT'S ALWAYS WITHIN EASY REACH!

FOR YOU USERS:

Whether you're at home or on the move, the LiveIn2 app lets you control your home's devices with a smartphone or tablet : rolling shutters, awnings, screens; garage door, lighting ...


According to your needs, you will be able **to customize your installation**. More than just direct control of devices, you will create **scenarios**, that enable you to perform a sequence of commands on several devices at the same time with a single click, or **automatic orders** following chosen times and conditions. You don't have to worry about your shutters, they open and close automatically for greater comfort, more safety and energy savings.

Enhanced by a **compatibility with a new BHz radio range**, you benefit from peace of mind of **an information feedback on the status of your equipment**.

FOR YOU INSTALLERS:

The LiveIn2 application offers **an installer mode**, without need for an account creation, flexible and intuitive, to allow you to manage all installation cases.

The LiveIn2 box includes **dual technology**, radio Hz and **the new radio BHz**. Your Hz projects are followed and are made compatible with BHz modernisation.



DEDICATED APP INCLUDED
FOR ISO AND ANDROID

Compatible with radio SIMU ranges:

simu-HZ technology & simu-BHz technology



Committed to you

OPERATING

AT HOME



OR ON THE MOVE



WITH APP
on smartphone or tablet




WITH INTERNET
AND A LIVEIN2 BOX
AT HOME

Internet box connected
with RJ45 cable



I CAN CONTROL
MY HOME EQUIPMENTS

Rolling shutters, awnings,
garage doors, or lights ...



INSTALLATION

APPLICATION
FOR IOS AND ANDROID
NO SUBSCRIPTION *



Simu LiveIn2



* No commitment to a specific duration for using services. Access to the SIMU Services for LiveIn2 is subject to your acceptance of our Terms and Conditions of Services (available on www.livein.simu.com). Such conditions will be provided to you for your approval when subscribing to these services.

To install and use LiveIn² you need:

Equipped home with devices
simu-Hz and/or simu-3Hz



have an Internet box
at home



compatible app.
1 smartphone or tablet



Minimum ANDROID 5.0
or Minimum IOS 9
WITH WIFI OR 3G / 4G INTERNET ACCESS



LiveIn² box

FOR INSTALLERS



THE APPLICATION
OFFERS
**AN INSTALLER MODE
WITHOUT AN ACCOUNT**
TO CONFIGURE
THE DEVICES VERY SIMPLY...



BY WIFI KEY
SIMU installation accessory.

OR



BY LAN
You have the choice to use a standard wifi router or to use the customer's Internet network by having previously retrieved the wep key of his network.



4 POSSIBILITIES TO CONTROL YOUR HOME



EQUIPMENTS

DIRECT CONTROL OF DEVICES
OR BY CHOSEN GROUPS



SCENARIOS

SCENARIO CREATION AND LAUNCH

Perform a sequence of orders on several devices.
Ex: «departure» scenario which closes all the shutters and switches off the lights



Transmitter BHz scenario LiveIn2



CLOCKS

TIME CLOCK PROGRAMS

Automate based on pre-determined times : fixed schedule, dusk, dawn, presence simulation function ...
Possibility of deactivating the clocks individually



SENSORS AND IF-THEN

ADD A SUN SENSOR

The addition of the BHz exterior sun sensor enables to create conditions for automating shutters depending on the level of sunlight.



Outdoor BHz sun sensor

NEW SIMU-BHz



WHAT IS SIMU-BHz ?
This is the new radio range with information feedback proposed by SIMU.



INFORMATION FEEDBACK
I can see the status of my BHz shutters from the equipment menu in real time.

MORE PRECISION
I can select the opening setting for my shutter to the preferred position from the control menu.




SUPPORT

SIMU is fully committed to assisting you both in selling the solution to the user and for its installation.



A DEDICATED WEBSITE
www.livein.simu.com
All the info available online for your customer to find out all about the solution.



A dedicated installer support space with all the info and video tutorials.



A SIMU hotline with the possibility for remote diagnosis.



▶
DEMO
PLAY

TRY OUT THE APPLICATION WITH OUR DEMO MODE

TECHNICAL CHARACTERISTICS

LiveIn² SERVICE



DEDICATED APPLICATION INCLUDED for smartphone and tablet available on



COMPATIBILITY radio SIMU-Hz and SIMU-BHz

List of compatible equipments on www.livein.simu.com

CONTROL Remote control of equipment (individually/per groups)

(Recommended: 30 Hz / 30 BHz / 20 groups)

FUNCTIONS **SCENARIO:** per app or scenario transmitter *

(Recommended: 30 scenarios on app / 10 transmitters)

CLOCK: Fixed schedule: presence simulation available

Cosmic time: dusk, twilight

(Recommended: 30 clocks)

SENSOR AND IF-THEN **

(Recommended: 20 sensors / 20 if-then)

UPDATES Included access to automatic updates

* Functionality available only by adding satellite products (scenario transmitter, sun sensor)

** For a smooth operation of the LiveIn2 interface and installation, we recommend limiting the functions even though it is possible to save more.

LiveIn² BOX



OPERATING TEMPERATURE 0°C - 50°C, max. 85% RH


PRODUCT CLASS II

INDEX PROTECTION RATING IP20

POWER SUPPLY 5 V DC cons. < 0.8 A via power adaptor

SIZE 151x142x60mm

NORMAL OPERATION consumption 5V continuous 800mA

RADIO FREQUENCY  - 868-870 MHz SIMU-BHz two-way, tri-band

 - 433.420 MHz SIMU-Hz

RADIO RANGE 200 meters in open field

20 meters trough 2 reinforced concrete walls



REFERENCES

BOX

DESCRIPTION	REFERENCE
LIVEIN2 BOX	2009201



INSTALLATION ACCESSORIES

DESCRIPTION	REFERENCE
LIVEIN2 WIFI USB DONGLE	2009287

SATELLITES

DESCRIPTION	REFERENCE
TRANSMITTER BHZ SCENARIO LIVEIN2	2009225
OUTDOOR BHZ SUN SENSOR	2009338